

SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

LEISURE TIME INSTANT CARTRIDGE CLEAN

Version 1.1

Revision Date 2019.01.22

Print Date 2019.02.12

SECTION 1. IDENTIFICATION

Product name : LEISURE TIME INSTANT CARTRIDGE CLEAN

Manufacturer or supplier's details

Company : Arch Chemicals, Inc.
1200 Bluegrass Lakes Parkway
Alpharetta, GA
30004
United States of America (USA)

E-mail address : sds@lonza.com
Emergency telephone number : In case of emergency call CHEMTREC US: 1-800-424-9300,
CHEMTREC WORLD-WIDE: +1-703-527-3887.

Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1
Skin irritation : Category 2
Serious eye damage : Category 1
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**
P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

LEISURE TIME INSTANT CARTRIDGE CLEAN

P271 Use only outdoors or in a well-ventilated area.

Response:

P390 Absorb spillage to prevent material damage.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Storage:

P406 Store in corrosive resistant container with a resistant inner liner.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

Dispose of contents/container in accordance with local regulation.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
2-Butoxyethanol	111-76-2	6 - 10
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9	4 - 6
Etidronic acid	2809-21-4	3 - 5
Citric acid	77-92-9	1 - 3

SECTION 4. FIRST AID MEASURES

- If inhaled : IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.
- In case of skin contact : IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
- In case of eye contact : IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
- If swallowed : IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

LEISURE TIME INSTANT CARTRIDGE CLEAN

Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use dry chemical, water fog, carbon dioxide (CO₂), or foam.

Specific hazards during firefighting : Material may be ignited only if preheated to high temperatures, for example in a fire.

Further information : In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.
Remove all sources of ignition.
Stop source of spill as soon as possible and notify appropriate personnel.
Utilize emergency response personal protection equipment prior to the start of any response.
Evacuate all non-essential personnel.
Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Do not flush into surface water or sanitary sewer system.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water.
Avoid breathing mist or vapor.

Conditions for safe storage : Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

LEISURE TIME INSTANT CARTRIDGE CLEAN

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		REL	5 ppm 24 mg/m ³	NIOSH/GUIDE
		PEL	50 ppm 240 mg/m ³	OSHA_TRANS
		TWA	25 ppm 120 mg/m ³	Z1A

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-Butoxyethanol	111-76-2	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	Sampling time: End of shift.	200 mg/g	ACGIH BEI

Engineering measures : Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

Personal protective equipment

Respiratory protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible.

Hand protection

Remarks : Wear impervious gloves to avoid skin contact.

Eye protection : Use chemical goggles and a faceshield.

Skin and body protection : Impervious

Protective measures : An eye wash and safety shower should be provided in the immediate work area.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear

Odour : Detergent

Odour Threshold : no data available

pH : 1 - 3

LEISURE TIME INSTANT CARTRIDGE CLEAN

Melting point/freezing point	:	no data available
Boiling point/boiling range	:	no data available
Flash point	:	> 199.9 °F / > 93.3 °C
Evaporation rate	:	16.0
Flammability (solid, gas)	:	Combustible above 93 deg. C / 200 deg. F.
Flammability (liquids)	:	no data available
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Relative density	:	1.138
Density	:	no data available
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Oxidizing properties	:	no data available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Sparks, open flame, other ignition sources, and elevated temperatures.
Incompatible materials	:	Strong oxidizing agents Strong acids strong alkalies
Hazardous decomposition products	:	Carbon monoxide, Carbon dioxide Nitrogen Aldehydes Ketones

SECTION 11. TOXICOLOGICAL INFORMATION

LEISURE TIME INSTANT CARTRIDGE CLEAN

Information on likely routes of exposure : Inhalation, skin, eyes, ingestion

Acute toxicity

Acute oral toxicity : LD50 (Rat): Believed to be > 5,000 mg/kg

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : LD50 (Rabbit): Believed to be > 5,000 mg/kg

Skin corrosion/irritation

Remarks: This material is expected to be moderately irritating.

Serious eye damage/eye irritation

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

Remarks: This material is not known or reported to be a skin or respiratory sensitizer.

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

Confirmed animal carcinogen with unknown relevance to humans
2-Butoxyethanol 111-76-2

Further information

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

Components:

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72 (20 °C)
Method: OECD Test Guideline 107

LEISURE TIME INSTANT CARTRIDGE CLEAN

Mobility in soil

no data available

Other adverse effects

Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-Depleting Substances (40 CFR 82, Subpt. A, App A & B)
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data for product. Individual constituents are as follows:

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.
As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION**DOT**:
Not dangerous goods**UN number**

: Not applicable

Proper shipping name

: Not applicable

Transport hazard class

: Not applicable

Packing group

: Not applicable

LEISURE TIME INSTANT CARTRIDGE CLEAN

TDG

UN number : 3265
Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class : 8
Packing group : III
Labels : 8
Environmental hazards : no

IATA

UN number : 3265
Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.
(1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class : 8
Packing group : III
Labels : 8
Environmental hazards : no

IMDG

UN number : 3265
Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.
(1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class : 8
Packing group : III
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B
Environmental hazards : Marine pollutant: no

ADR

UN number : 3265
Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class : 8
Packing group : III
Classification Code : C3
Hazard Identification Number : 80
Labels : 8
Environmental hazards : no

LEISURE TIME INSTANT CARTRIDGE CLEAN

RID

UN number	: 3265
Proper shipping name	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class	: 8
Packing group	: III
Classification Code	: C3
Hazard Identification Number	: 80
Labels	: 8
Environmental hazards	: no
Special precautions for user	: none
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not applicable

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

SARA 313

Components	CAS-No.	Concentration
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9	6 - 10 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

Components	CAS-No.	Concentration
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9	4 - 6 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Components	CAS-No.	Concentration
2-Butoxyethanol	111-76-2	6 - 10 %

LEISURE TIME INSTANT CARTRIDGE CLEAN

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Components	CAS-No.
2-Butoxyethanol	111-76-2

Pennsylvania Right To Know

Components	CAS-No.
2-Butoxyethanol	111-76-2
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9
Etidronic acid	2809-21-4

New Jersey Right To Know

Components	CAS-No.
2-Butoxyethanol	111-76-2
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9
Etidronic acid	2809-21-4
Citric acid	77-92-9

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian lists

NPRI

Components	CAS-No.
2-Butoxyethanol	111-76-2
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9

The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

LEISURE TIME INSTANT CARTRIDGE CLEAN

ACGIH	:	US. ACGIH Threshold Limit Values
ACGIH BEI	:	US. ACGIH. BEIs. Biological Exposure Indices
NIOSH/GUIDE	:	US. NIOSH: Pocket Guide to Chemical Hazards
OSHA_TRANS	:	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Z1A	:	US. OSHA Table Z-1-A (29 CFR 1910.1000)

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

2

Revision Date : 2019.01.22

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd

US / EN